

## Low power wifi solar PTZ camera

LS-WS14



### Key Features

1. wifi solar powered battery PTZ camera
2. Pan&Tilt:Pan 355 degree&Tilt 100 degree
3. 5 watt solar panel,built-in 7800mAh batteries
4. Two-way voice intercom
5. Cloud storage and TF card storage maximum 128G (without TF card)
6. WIFI 2.4GHz , IEEE 802.11 b/g/n, remote viewing/playback via APP (UBox)
7. Automatic video recording and message push when human body motion wakes up
8. Arbitrary arming time can be set
9. 3.6mm lens, infrared light or white light can be set , dual use for video surveillance and garden lights
10. Waterproof grade IP66

## Specifications

Model No.	LS-WS14	
<b>General</b>	Main processor	Ingenic-T31ZL
	APP Operation System	Android, IOS
	Image Sensor	1/2.7" Image Sensor
	Compression	H.264+/H.265
	Resolution	1920*1080 1080P
<b>Internet Connection</b>	WIFI	2.4GHz WIFI
<b>Alarm</b>	Detection Mode	PIR + Radar dual detection
	Detection Distance	0~12M
	Detect Angle	95°
	Alarm Mode	Realtime calling or push message
<b>PTZ</b>	PTZ Angle	Horizontal 355 ° Vertica 100°
	Speed	Horizontal 55 °/S Vertical 40°/S
<b>Night Vision</b>	Full color night vision	0.00001 Lux
	IR LED	infrared LED 15M IR distance
	White light LED	white light LED 15M distance
<b>Audio</b>	Built-in speaker (input)	3W
	Built-in microphone (output)	voice monitoring distance 20M
<b>Lens</b>	Lens	3.6mm
	Lens Angle	95°
<b>Storage</b>	Cloud Storage	storage when alarm recording
	Local Storage	TF Card Max 128G
<b>Power</b>	Power Supply Mode	Solar Panel+ Build in Batteries
	Panel Material	monocrystalline silicon
	Solar Energy Power	3.5W

	Battery Capacity	Build in 78000MAH battery
	Operating power consumption	4W
	Standby consumption	0.003W
	Extension cord	3M
	Solar panel size	170*115mm
<b>Others</b>	Working Environment	Indoor/outdoor
	Operation Temperature	-30°~+60°
	Humidity	0%~90%RH
<b>Package</b>	N.W.	0.9KG/PCS
	Giftbox size	185*175*133mm
	Quantity in carton	12pcs
	G.W.	11.5KG
	Carton size	360*356*399mm